




Manufacturing process is by
German Base
Hi-Tech Technology



Wide Range of
Industrial &
Automobiles
oil



OUR DELIGATED TEAM




Team of My GEC



Team of Pomson

OUR PRODUCTION CAPACITY PER DAY



INDUSTRIAL SUPPLY

OEM supplying : JSW (Zindal) group
BRPL-Brahmani River Pellets Limited -
Oriissa Aditay-Birla group Essel Mining
& Industries Limited - Barbil Orissa,



QUALITY EXPERIENCE

POMSON Hydraulic Oil AW-68 Lab Report

Sr. No	Test Parameter	Test Method	Unit	POMSON Test Value	POPULAR BRAND Value
1	ISO Viscosity Grade	-	-	68	68
2	Color	ASTMD1500		A 1.5 Yellow	A 1.5 yellow
3	Kinematic Viscosity				
	@ 104o F / 40oC	ASTM D445	cSt	66.3472	68
	@ 212o F / 100oC	ASTM D445	cSt	8.4732	8.77
4	Density @ 15°C/ 59°F	ASTM D2270		878	880
5	AirRelease50°C/122°F	ASTM D3427	min	8	8
6	Flash Point	ASTM D92	oC	225	226
7	Pour Point	ASTM D97	oC	-11	-11
8	Viscosity index	ASTM D2270		>98	>95

TEAM CHANNEL

MANUFACTURER

DEALER / SUB DEALER




EASY TO MANAGE



OUR ADVERTISE CAMPAIGN ON

STICKER
NEWS PAPER
PAMPHLET
HOARDING BOARD
CANOPY MARKETING
OUTSIDE WALL ADVERTISEMENT



AUTHORISED DISTRIBUTOR



MyGEC V-Belt and Hardware Pvt. Ltd.
Authorised Distributor of POMSON LUBRICANTS

Geeta Engineering Corporation (Sister Concern), Garedia Kuva Road,
"MYGEC House", Near Hanuman Temple, Rajkot - 360001
www.mygec.in sales@mygec.in

COMPANY OWNER



Helpline No.
70482 22003



follow us on
f Instagram Twitter