



PRODUCT
RANGE

Economic Series

Budget Series

Premium Series



આપની પ્રગતિ નો સાથી

Submersible
Wires &
HDPE Pipes.



અમે આપશું અમારા એક્સપર્ટ દ્વારા બનાવેલ અને લાંબા સમય સુધી ચાલે તેવા ક્વોલિટી ઉત્પાદનો


SUBMERSIBLE WIRES

PRODUCT
RANGE

Economic Series

Budget Series

Premium Series



आपनी प्रगति नो साथी

SUBMERSIBLE WIRES

PRODUCT
RANGE

Economic Series

Budget Series

Premium Series



PVC sheathed Submersible 3-core Flat Copper Cables

Sub-Brand	Nominal Cross Sectional Area mm ²	Number of Strands/ Strand Diameter Nos./mm	Nominal Insulation Thickness mm	Nominal Sheath Thickness mm	Dimension (Width x Height) mm	Maximum Current Capacity at 40° C Amperes	Product code	MOQ	Price
Premium	1.00	14/0.30	0.60	0.90	10.25x04.50	11.00			41.80
Premium	1.50	22/0.30	0.60	1.00	11.95x05.30	14.00			60.45
Premium	2.50	36/0.30	0.70	1.20	13.90x06.30	19.00			92.65
Premium	4.00	56/0.30	0.80	1.30	16.10x07.10	26.00			141.25
Premium	6.00	84/0.30	0.90	1.40	18.70x08.25	31.00			209.00
Premium	8.00	110/0.30	1.00	1.60	21.25x09.25	36.00			267.80
Premium	10.00	140/0.30	1.00	1.80	23.00x10.00	42.00			336.70
Budget	1.50	22/0.25	0.60	1.00	11.90x05.30	11.00			50.90
Budget	2.50	35/0.25	0.70	1.20	13.60x06.30	14.00			74.60
Budget	4.00	55/0.25	0.80	1.30	15.70x06.90	20.00			113.00
Budget	6.00	84/0.25	0.90	1.40	17.50x08.10	25.00			167.25
Economic	1.50	22/0.20	0.60	1.00	11.90x05.25	08.00			36.00
Economic	2.50	35/0.20	0.70	1.20	13.65x06.10	11.00			51.60
Economic	4.00	55/0.20	0.80	1.30	14.75x06.85	15.00			75.35

- The standard sheath colour is Black, though supplies are made in other colours over specific demand.
- Indian colour codification followed as in Red, Yellow & Blue.
- Superior resistance to abrasive & hard water.
- Chemically inert to any natural environment.
- Insulation integrity intact within -40°C through 70°C.
- Conductor in 99.99% Pure Annealed Electrolytic Copper.
- Flexible, strong & eco-friendly.

आपनी प्रगति नो साथी


SUBMERSIBLE WIRES

PRODUCT RANGE

Economic Series

Budget Series

Premium Series



IS : 694

 CML/3620348

PVC sheathed Submersible Multi-core Aluminium Cables

Sub-Brand	Core Numbers /Type Nos.	Nominal Cross Sectional Area mm ²	Number of Strands/ Strand Diameter Nos./mm	Nominal Insulation Thickness mm	Nominal Sheath Thickness mm	Dimension (W x H) or Diameter mm	Maximum Current Capacity at 40° C Amperes	Product code	MOQ	Price
Premium	2/Flat	2.50	2/1.78	0.80	0.80	08.90x05.30	15.00			14.85
Premium	2/Flat	4.00	2/2.24	0.80	0.90	09.40x05.70	20.00			19.45
Premium	2/Flat	6.00	2/2.76	0.80	1.00	10.50x06.00	27.00			24.40
Premium	2/Flat	10.00	2/3.55	0.80	1.10	12.25x07.25	34.00			34.25
Premium	3/Round	4.00	3/2.24	0.80	1.20	Round 10.80	23.00			33.80
Budget	3/Round	6.00	3/2.30	0.80	1.20	Round 11.30	25.00			37.10
Premium	3/Round	6.00	3/2.76	0.80	1.20	Round 12.60	30.00			43.85
Budget	3/Round	10.00	3/2.90	1.00	1.30	Round 13.50	32.00			52.90
Premium	3/Round	10.00	3/3.55	1.00	1.30	Round 14.40	40.00			61.50
Premium	3/Round	12.00	3/3.90	1.00	1.30	Round 15.40	43.00			72.25
Premium	3/Round	16.00	3/4.40	1.00	1.40	Round 17.30	51.00			93.10
Premium	3/Round	25.00	3/5.15	1.20	1.50	Round 20.50	70.00			129.25
Premium	4/Round	6.00	4/2.76	0.80	1.20	Round 14.50	30.00			55.75
Premium	4/Round	10.00	4/3.55	1.00	1.30	Round 17.30	40.00			82.00
Premium	4/Round	16.00	4/4.40	1.00	1.40	Round 19.80	51.00			116.85
Premium	3/Round/XLP	6.00	3/2.76	0.80	1.20	Round 12.60	30.00			46.75
Premium	3/Round/XLP	10.00	3/3.55	1.00	1.30	Round 14.40	40.00			64.35
Premium	3/Round/XLP	12.00	3/3.90	1.00	1.30	Round 15.40	43.00			77.00
Premium	3/Round/XLP	16.00	3/4.40	1.00	1.40	Round 17.30	51.00			99.35

- The standard sheath colour for the 2-Core Submersible Cable is Yellow.
- The standard sheath colour for the 3-Core & 4-Core Submersible Cable is Black.
- Superior resistance to abrasive & hard water. Chemically inert to any natural environment.
- Insulation integrity intact within -40°C through 70°C.
- Conductor in 99.99% Pure Aluminium.

आपनी प्रगति नो साथी




SUBMERSIBLE WIRES

PRODUCT RANGE

Economic Series

Budget Series

Premium Series



Flexible Multi-core Round Cables

Sub-Brand	Core Numbers /Type	Nominal Cross Sectional Area	Number of Strands/ Strand Diameter	Nominal Insulation Thickness	Nominal Sheath Thickness	Dimension (W x H) or Diameter	Maximum Current Capacity at 40° C	Product code	MOQ	Price
	Nos.	mm ²	Nos./mm	mm	mm	mm	Amperes			
Budget	1/Core	4.00	1/1.70	0.80	-	3.25	15.00			6.25
Budget	1/Core	6.00	1/2.20	0.80	-	3.80	20.00			8.85
Budget	1/Core	10.00	1/2.60	0.80	-	4.30	27.00			11.55
Budget	1/Core	12.00	1/3.50	1.00	-	5.40	40.00			16.50
Budget	1/Core	16.00	1/3.80	1.00	-	5.80	43.00			19.45
Budget	2/Flat	4.00	2/1.70	0.80	0.80	08.90x05.30	15.00			16.50
Budget	2/Flat	6.00	2/2.10	0.80	0.90	09.40x05.70	20.00			20.00
Budget	2/Flat	10.00	2/2.50	0.80	1.00	10.50x06.00	27.00			24.40
Budget	3/Round	6.00	3/2.30	0.80	1.20	11.30	25.00			38.45
Budget	3/Round	10.00	3/2.90	1.00	1.30	13.50	32.00			54.25
Budget	3/Round	12.00	3/3.50	1.00	1.30	14.40	40.00			63.20
Budget	3/Round	16.00	3/3.90	1.00	1.30	15.40	43.00			74.50

- The standard sheath colour for 2-Core Submersible Cables is Black.
- The standard sheath colour for 3-Core Submersible Cables is Grey.
- The standard sheath colour for 4-Core Submersible Cables is Black.
- Superior resistance to abrasive & hard water. Chemically inert to any natural environment.
- Insulation integrity intact within -40°C through 70°C.
- Conductor in 99.99% Pure Aluminium or Copper.

आपनी प्रगति नो साथी


HDPE PIPES

PRODUCT
RANGE

Economic Series

Budget Series

Premium Series



आपनी प्रगति नो साथी

HDPE PIPES

PRODUCT
RANGE

Economic Series

Budget Series

Premium Series

PREMIUM SERIES

INCH	OD	PN-6	PN-8	PN-10	PN-12.5	PN-16
0.5	20	—	—	—	—	—
0.75	25	—	—	—	—	—
1	32	46.36	57.68	67.56	80.34	92.70
1.25	40	69.62	89.00	103.00	121.54	144.20
1.50	50	108.16	137.82	154.50	187.46	226.60
2.00	63	164.80	212.18	254.54	304.88	355.36
2.50	75	247.20	298.70	360.50	428.48	521.30
3.00	90	346.08	432.60	504.70	615.94	726.16
4.00	110	515.00	648.90	762.20	916.70	1091.80

BUDGET SERIES

INCH	OD	PN-6	PN-8	PN-10	PN-12.50
0.5	20	—	—	—	—
0.75	25	—	—	—	—
1	32	41.00	46.90	56.40	62.00
1.25	40	59.20	71.80	88.80	98.70
1.50	50	91.10	113.00	137.20	153.40
2.00	63	144.50	176.20	218.00	243.00
2.50	75	207.40	254.14	308.66	343.90
3.00	90	291.80	354.00	442.60	490.20
4.00	110	486.70	534.80	648.50	730.80

ECONOMY SERIES

INCH	OD	PN-6	PN-8	PN-10
0.5	20	—	—	—
0.75	25	—	—	—
1	32	35.60	44.60	51.10
1.25	40	54.83	66.38	82.24
1.50	50	84.31	105.18	125.87
2.00	63	124.00	160.60	191.70
2.50	75	186.20	226.40	272.00
3.00	90	261.00	326.70	381.50
4.00	110	388.80	490.00	575.00



Regd Office:

Geeta Engineering Corporation,
Garedia Kuva Road,
"Tulsi House",
Near Hanuman Temple,
Rajkot - 360 001
Gujarat - India



Phone No:

+91 281 2233620
+91 281 2233638



Whats app No:

+91 98798 78090
+91 98251 95955



Website:

www.mygec.in



E - mail:

admin@mygec.in